


Presto FF-C18

150 x 4.6 mm


Application

Dextran sulfate

デキストラン硫酸



dextran sulfate sodium salt



Presto FF-C18, 150 x 4.6 mm

A: water / triethylamine / acetic acid = 100 / 1.1 / 0.5

B: acetonitrile

0-50 %B (0-20min)

0.4 mL/min (17MPa), 37 deg.C

ELSD (spray chamber 35 deg.C, drift tube 100 deg.C)

1 uL (2.5ug, water)