



Presto FF-C18

250 x 4.6 mm

Application

**Hyaluronic acid**

ヒアルロン酸



Presto FF-C18, 250 x 4.6 mm

A: water /acetonitrile /trifluoroacetic acid = 95 /5 /0.1

B: water /acetonitrile /trifluoroacetic acid = 90 /10 /0.1

0.15 mL/min (0-60min), 0.3mL/min (60-90min, initialization)

60 deg.C, 210 nm, 4 uL (8ug, 0.05%TFA)