


Presto FF-C18
Intrada WP-RP

250 x 4.6 mm


Application

Hyaluronic acid

ヒアルロン酸



hyaluronic acid sodium salt
 (ca. 1 MDa)



250 x 4.6 mm
 A: water /trifluoroacetic acid = 100 /0.1
 B: water /acetonitrile /trifluoroacetic acid = 90 /10 /0.1
 0-100 %B(0-60min)
 0.4 mL/min, 60 deg.C, 210 nm