








**DACAPO DX-C18**

50 x 4.6 mm

Application

**Paraben isomers**

パラベン異性体




**DACAPO DX-C18 2.5µm**

**Rs = 1.79**

**6.5 MPa**


50 x 4.6 mm  
acetonitrile / water / acetic acid  
= 20 / 80 / 0.1  
1 mL/min, 37°C, 260 nm  
1 µL (0.333mg/mL)



**2.6µm Core-Shell ODS (K)**

**Rs = 1.32**

**8.7 MPa**



**2.5µm Hybrid Silica ODS (X)**

**Rs = 1.20**

**10.3 MPa**