


Unison UK-C1
Cadenza CD-C18

150 x 4.6 mm


Application

Phthalate esters


フタル酸エステル類




butylbenzyl phthalate
BBP




di-2-ethylhexyl phthalate
DEHP




diisononyl phthalate
DINP




dibutyl phthalate
DBP



di-n-octyl phthalate
DNOP




diisodecyl phthalate
DIDP



Unison UK-C1

150 x 4.6 mm
A: water / AcOH = 100 / 0.1
B: ACN / AcOH = 100 / 0.1
50-100%B (0-20min)
0.8 mL/min (9MPa)
37 °C, 260nm
2 μ L (1 mg/mL, DMSO)



Cadenza CD-C18

150 x 4.6 mm
A: water / AcOH = 100 / 0.1
B: ACN / AcOH = 100 / 0.1
70-100%B (0-30min)
0.8 mL/min (11MPa)
37 °C, 260nm
2 μ L (1 mg/mL, DMSO)