


Unison UK-Silica
Unison UK-C18


150 x 3 mm
75 x 4.6 mm

Application

L-Carnitine
L-カルニチン



Unison UK-Silica, 150 x 3 mm
acetonitrile / 50mM ammonium acetate
= 65 / 35, 0.5 mL/min (7MPa)
37 °C, 210 nm, 2µL(20µg)



Unison UK-C18, 75 x 4.6 mm
water / heptafluoro-n-butyric acid
= 100 / 0.1, 1 mL/min (7MPa)
37 °C, 210 nm, 2µL(20µg)