


Intrada Organic Acid

50 x 2 mm

Application

LC-MS: hydroxycarboxylic acids

ヒドロキシカルボン酸のLC-MS分析



Intrada Organic Acid, 50 x 2 mm

A: acetonitrile / water / acetic acid = 10 / 90 / 0.1

B: acetonitrile / 100mM ammonium acetate = 10 / 90

0%B (0-1min), 0-100%B (1-3min), 100%B (3-4min)

0.2mL/min (4MPa), 37°C, MS (ESI, SIM, Negative)

5µL (0.01% NH₄OH)