





Unison UK-C8

100 x 4.6 mm

HPLC COLUMN APPLICATION

Cholesteric Liquid-crystal materials

コレステリック液晶材料



Unison UK-C8, 100 x 4.6 mm

A: acetonitrile / water / acetic acid = 50 / 50 / 0.5

B: acetonitrile / acetic acid = 100 / 0.5

90-100%B (0-15min)

1.0 mL/min (4MPa), 37°C

ELSD (spray chamber 50°C, drift chamber 100°C)

10µL (1mg/mL, tetrahydrofuran)