


Presto FF-C18

150 x 4.6 mm

**HPLC COLUMN APPLICATION**

**Hydroxypropyl methylcellulose**


ヒドロキシプロピルメチルセルロース



hydroxypropyl methylcellulose  
(40 ~ 50 cps, 2% aq. Soln.)

45-80%B (0-15min)  
10 $\mu$ L (5mg/mL, water / HCOOH = 100 / 1)

0-100%B (0-8min), 100%B (8-15min)  
5 $\mu$ L (5mg/mL, water / HCOOH = 100 / 1)



Presto FF-C18, 150 x 4.6 mm  
 A: water / formic acid = 100 / 0.1  
 B: acetonitrile / water / formic acid = 90 / 10 / 0.1  
 0.4mL/min (18MPa), 37°C  
 ELSD (spray chamber 30°C, drift tube 60°C)